


1. EROSION AND SEDIMENT CONTROLS MUST BE INSTALLED PRIOR TO THE COMMENCEMENT OF SITE WORKS.

1. EROSION AND SEDIMENT CONTROLS MUST BE INSPECTED ON A REGULAR BASIS AND AFTER EVERY SIGNIFICANT EVENT AND MUST BE MAINTAINED AND REPAIRED IN A TIMELY MANNER TO PREVENT SEDIMENTATION.
2. IT IS REQUIRED TO STABILIZE ALL AREAS THAT WILL REMAIN DISTURBED FOR MORE THAN 30 DAYS.
3. EROSION AND SEDIMENT CONTROLS TO BE REMOVED ON COMPLETION OF CONSTRUCTION.
4. ALL OUTCROPPINGS TO BE COVERED WITH FILTER CLOTH AS SHOWN DURING CONSTRUCTION.
5. SILT FENCE TO BE INSTALLED AROUND ENTIRE SITE.

ROADWAY CATCHBASIN SEDIMENT CONTROL DEVICE
TYPE 'A'

2.	Sept. 21, 2022	Relating well revised	VA	
1.	Sept. 7, 2022	Comments from Town & Region	WMPF	
No.:	DATE	DESCRIPTION	BY	
REVISIONS				

ENGINEER'S SEAL:



PROJECT TITLE:
67 ANDERSON BLVD, UXBRIDGE, ON L9P 0C7
LOT 23 PLAN 40M-2336 - TOWNSHIP OF UXBRIDGE
REGIONAL MUNICIPALITY OF DURHAM

EROSION SEDIMENT PLAN

BaseTech Consulting Inc.

309 Roywood Crescent
Newmarket, Ontario
L3Y 1A6

Phone : (905)-251-7720
e-mail : basetechconsulting@rogers.com

DRAWN BY:	PROJECT Nº:
-----------	-------------

DESIGNED BY:	WMPF
22-33	

DATE:	SCALE:
-------	--------

ESC-1

